


W-898XP Tire Changer Parts Manual




WEAVER
E Q U I P M E N T

Please read this manual before operation

W-898XP Exploded Drawing






W-898XP


ITEM	PART. No	DESCRIPTION.	QT. Y
1	C-5B-1100000N	BODY	1
2	C-5B-1200000	VERTICAL COLUMN	1
3	C-54-1300000	SWING ARM	1
4	CT-C-2100000	BEAD BREAKER BLADE	1
5	CT-J-2100000	GEARBOX ASSEMBLY (USED WITH 60HZ MOTOR)	1
6	CT-DJ-0211212	MOTOR (110V, 60Hz, 1P, 1.1Kw)	1
7	CT-Q-4000000	ROTATING UNION	1
8	CT-B-C000000	BEAD BREAKER ARM ASSEMBLY	1
9	CT-LS-8300000	BEAD BREAKER CYLINDER ASSEMBLY	1
10	C-5B-1400000	LIMIT SET	1
11	CT-Y-6B00000	TURNTABLE ASSEMBLY	1
12	CT-D-9100000	PEDAL ASSEMBLY	1
13	CT-F-3121100	AIR REGULATOR ASSEMBLY	1
14	GB3452. 1-8×2. 65-A	HYDRAULIC-PNEUMATIC RUBBER O-RING A TYPE	1
15	C-54-8000028	CONNECTOR	1
16	CT-Q-6000000	CLAMP RING	1
17	C-54-1400000	HANDLE WHEEL	1
18	C-42-1000004	PROTECTIVE COVER	1
19	C-54-1000016	RUBBER WASHER	1
20	C-54-1000006	RUBBER PAD PLATE	1
21	C-54-1000005	RUBBER FOOT	4
22	C-54-1000002	WASHER	1
23	C-54-1000012	PRESS COVER	1
24	C-54-1000010	SCREWS M14×42	2
25	C-54-1000013	SEALED COVER	1
26	C-54-1000009	SHAFT WASHER	1
27	C-54-1000008	VERTICAL SHAFT	1
28	C-54-1000022	PLUG C	2
29	C-54-1000028	PLUG B	1
30	C-54-1000032	ADJUSTING WASHER	1
31	TC-40-1200022	RUBBER COVER	1
32	C-54-1000001	SIDE PANEL	1
33	C-54-1000018	TOOL BOX	1
34	C-54-1000020	T-PLUG	1
35	CT-DJ-0000008	BELT (USED WITH 60HZ MOTOR)	1
36	C-54-0002000	PRESSURE GAUGE ASSEMBLY	1
37	FPC 10-01	MALE STRAIGHT	4
38	C-54-1000029	PU SPIRAL TUBE	4
39	GB70. 1-M12×30	INNER HEXA CYLINDRICAL SCREW	1
40	GB1096-C12×8×45	COMMON FLAT KEY	1
41	GB5782-M10×160-8.8	BOLT M10×160	2
42	GB5782-M10×200-8.8	BOLT M10×200	4

W-898XP


ITEM	PART. No	DESCRIPTION.	QT. Y
43	GB96. 1-10	LARGE WASHER A GRADE	6
44	GB95-10	FLAT WASHER	16
45	GB41-M10	HEXANGULAR NUT	14
46	GB70. 1-M8×25	INNER HEXA CYLINDRICAL SCREW	4
47	GB955-14	WAVE-FORM SPRING WASHER	1
48	GB889. 1-M14	1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	1
49	GB889. 1-M16	1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	2
50	GB5783-M5×16	HEXANGULAR BOLT	1
51	GB95-5	FLAT WASHER	2
52	GB95-16	WASHER	1
53	GB5782-M16×100	HEXANGULAR BOLT	1
54	GB70. 1-M6×20	INNER HEXA CYLINDRICAL SCREW	5
55	GB6172. 1-M14	HEXANGULAR THIN NUT	2
56	GB861. 1-14	INNER TOOTH LOCK WAHSER	2
57	GB95-12	FLAT WASHER	6
58	GB93-12	STANDARD SPRING WASHER	6
59	GB5783-M12×50	HEXANGULAR BOLT	2
60	GB95-6	FLAT WASHER	14
61	GB70. 1-M6×16	INNER HEXA CYLINDRICAL SCREW	5
62	GB5782-M12×75	HEXANGULAR BOLT	4
63	GB70. 1-M5×10	INNER HEXA CYLINDRICAL SCREW	2
64	GB70. 1-M10×30	INNER HEXA CYLINDRICAL SCREW	2
65	GB93-10	STANDARD SPRING WASHER	2
66	GB70. 1-M6×35	INNER HEXA CYLINDRICAL SCREW	2
67	GB70. 1-M6×25	INNER HEXA CYLINDRICAL SCREW	2
68	GB93-8	STANDARD SPRING WASHER	5
69	GB70. 1-M8×30	INNER HEXA CYLINDRICAL SCREW	1
70	CT-K-3100000	INFLATOR COVER ASSEMBLY	1
71	GB70. 1-M6×12	INNER HEXA CYLINDRICAL SCREW	2
72	CT-K-1C00000	INFLATION PEDAL ASSEMBLY	1
73	GB5783-M8×20	HEXANGULAR BOLT	2
74	GB95-8	FLAT WASHER	4
75	GB41-M8	HEXANGULAR NUT	2
76	FPC 12-03	MALE STRAIGHT	2
77	C-54-1000014S	VALVE CONNECTOR ASSEMBLY	1
78	CT-K-2200000S	QUICK EXHAUST VALVE ASSEMBLY	1
79	GB70. 1-M8×16	INNER HEXA CYLINDRICAL SCREW	2
80	C-01-1000006	COVER CAP	6
81	C-54-1000027	JOINT SEALING GASKET	1
82	FPLF 8-02	FEMALE ELBOW	1
83	FPC 8-02	MALE STRAIGHT	1
84	FPY-8	Y-SHAPE INSERT FITTINGΦ8	1
85	CT-E-US00333	CABLE (1P)	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	PBH 1 / 4-1 / 8	FAMALE BRANCH TEE	1
2	C-54-1000024	PRESSURE GAUGE	1
3	CT-K-4100001	SAFE VALVE	1
4	C-54-1000025	LOCKNUT	1
5	C-54-1000027	JOINT SEALING GASKET	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	C-54-1310000	SWING ARM	1
2	C-54-1320000	LOCK HANDLE	1
3	C-54-1300001	HEXAGON LOCK PLATE	1
4	C-54-1300002	HEXAGON SHAFT	1
5	C-54-1300003	VERTICAL SHAFT COVER	1
6	C-54-0001000	DEMOUNTING HEAD ASSEMBLY	1
7	C-54-1300005	DECORATING COVER	1
8	C-54-1300007	SHOCK ABSORBER WASHER	1
9	C-54-1300008	PRESS WASHER	1
10	C-54-1300010	VERTICAL SHAFT SPRING	1
11	TC-40-1200022	RUBBER COVER	1
12	C-54-1300012	VERTICAL SHAFT SPRING	1
13	C-54-1300013	ADJUSTING WASHER	4
14	GB95-10	FLAT WASHER	2
15	GB889. 1-M10	1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	2
16	GB6172. 1-M10	HEXANGULAR THIN NUT	1
17	GB70. 1-M10×70	INNER HEXA CYLINDRICAL SCREW	1
18	GB894. 1-25	SHAFT ELATIC BIG RETAINING RING A-TYPE	1
19	GB70. 1-M10×30	INNER HEXA CYLINDRICAL SCREW	1
20	GB93-10	STANDARD SPRING WASHER	1
21	GB5783-M10×25-12. 9	HEXANGULAR BOLT	1
22	GB70. 2-M8×35	INNER HEXA CYLINDRICAL ROUND HEAD SCREW	1
23	GB889. 1-M8	1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	C-54-1300004	DEMOUNTING HEAD	1
2	C-54-1300006	ROLLER BOLT	1
3	C-54-1300009	ROLLER	1
4	C-54-8000007	TOOL HEAF TAIL WASHER	1
5	GB80-M12×12	INNER HEXA RECESSED TERMINUS SET SCREW	2
6	GB80-M12×16	INNER HEXA RECESSED TERMINUS SET SCREW	2
7	C-54-1300014	SHEATH	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-D-5100001	PEDAL BRACKET	1
2	CT-D-9100001	PEDAL	1
3	CT-D-9100002	PEDAL	2
4	CT-D-5100004	BOTTOM SHAFT	1
5	CT-D-5100005	CONNECTION PART	2
6	CT-D-5100007	SPRING	2
7	CT-D-5100008	SWITCH SUPPORT	1
8	CT-D-2100001	SPACER	1
9	CT-D-2100002	TORSION SPRING	1
10	CT-D-0012000	VALVE	1
11	GB9074-M6×20	COMBINATION SCREW	12
12	GB41-M8	HEXANGULAR NUT	3
13	GB70. 1-M8×40	INNER HEXA CYLINDRICAL SCREW	2
14	CT-D-0010000	VALVE	1
15	CT-D-1100009B	CAM	1
16	CT-D-2100004	FORK SPRING PLATE	1
17	GB9074-M6×25	COMBINATION SCREW	2
18	CT-D-1100008	CAM CONNECTING ROD	1
19	GB889. 1-M8	1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	6
20	CT-D-1100011A	CAM BAFFLE PLATE	1
21	GB845-ST2. 9×9. 5 H C	CROSS PANHEAD TAPPING SCREW	2
22	GB95-10	FLAT WASHER	4
23	GB882-4×22	PIN SHAFT	2
24	GB91-1. 6×10	SLOTTED PIN	2
25	GB5783-M8×60	HEXANGULAR BOLT	2
26	CT-D-2100010	TORSION SPRING BRACKET	1
27	GB41-M6	HEXANGULAR NUT	4
28	CT-D-2100011	CONNECTION ROD	1
29	CT-D-1100010	REVERSE LEVER	1
30	CT-D-5100009A	SWITCH SUPPORT	1
31	CT-D-1100018	SWITCH	1
32	CT-D-2100012	ROTATION SHAFT	1
33	GB5782-M8×55	HEXANGULAR BOLT	1
34	GB5783-M8×35	HEXANGULAR BOLT	1
35	GB9074. 4-M4×16	COMBINATION SCREW	1
36	CT-D-1100014	SWITCH COVER	1
37	GB93-6	STANDARD SPRING WASHER	2
38	GB70. 1-M6×12	INNER HEXA CYLINDRICAL SCREW	2
39	GB894. 1-14	SHAFT ELATIC BIG RETAINING RING A-TYPE	2
40	GB9074. 4-M5×25	COMBINATION SCREW	2



ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-D-1110001	VALVE BODY	1
2	CT-D-1110003	O-RING	6
3	CT-D-1110004	SPACER	5
4	CT-D-1110005	VALVE CAP	1
5	CT-D-2600003	VALVE ROD	1
6	GB845-ST2.9×13 H C	CROSS PANHEAD TAPPING SCREW	3
7	FPL 8-01	INSERT ELBOW Φ8, R1/8	1
8	FPC 8-01	MALE STRAIGHT	2
9	FSK 01	PLASTIC PARTICLE SILENCER	2




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-D-1110001	VALVE BODY	1
2	CT-D-1110003	O-RING	6
3	CT-D-1110004	SPACER	5
4	CT-D-1110005	VALVE CAP	1
5	CT-D-2600001	VALVE ROD	1
6	GB879. 1-4×20	ELASTIC CYLINDRICAL PIN, HEAVY	1
7	GB95-10	FLAT WASHER	1
8	GB845-ST2. 9×13 H C	CROSS PANHEAD TAPPING SCREW	3
9	FPD 8-01	MALE RUN TEE	1
10	FPC 8-01	MALE STRAIGHT	2
11	FSK 01	PLASTIC PARTICLE SILENCER	2




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-B-C100000	BEAD BREAKER	1
2	CT-B-A200000	PIN SHAFT	1
3	CT-B-A000001	TURN ROD	1
4	CT-B-A000002	CONNECT ROD	1
5	CT-B-6000003	PAD	1
6	GB93-10	STANDARD SPRING WASHER	1
7	GB5783-M10×20	HEXANGULAR BOLT	1
8	CT-B-2000002	SPRING	1


CT-LS-8300000




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-LS-1200001	CYLINDER BODY	1
2	CT-LS-8100001	CYLINDER PISTON ROD	1
3	CT-LS-1100003	PISTON	1
4	CT-LS-1100004	CYLINDER COVER	1
5	CT-LS-1100006	CLAMP RING	2
6	CT-LS-1100007	PISTON SUPPORT RING	1
7	CT-LS-1100008	GUIDER SPACER	1
8	CT-LS-1310000	QUICK DEFLATE VALVE ON COVER	1
9	CT-LS-1320000	QUICK DEFLATE VALVE ON BODY	1
10	GB893. 2-30	ELASTIC RETAINING RING B-TYPE	1
11	GB5789-AM6×25	HEXA FLANGE BOLT	12
12	GB6177. 1-M6	HEXA FLANGE NUT	12
13	GB889. 2-M18×1. 5	NUT M18×1. 5	1
14	CT-LS-1110000	CYCLINDER SEALING PARTS ASSEMBLY	1
14. 1	CT-Y-0160007	SEAL-ROD, CYLNDR	1
14. 2	CT-LS-1100009	Y-RING	2
14. 3	GB3452. 1-185×3. 55-G	O-RING G TYPE	1
14. 4	GB3452. 1-15. 5×2. 65-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-LS-1310001	LOWER COVER OF QUICK DEFLATE VALVE	1
2	CT-LS-1310002	COVER OF QUICK DEFLATE VALVE	1
3	CT-LS-1310003	PISTON	1
4	CT-LS-1310004	RUBBER WASHER	1
5	CT-LS-1310005	DOUBLE SCREW G1/4	1
6	FPL 8-01	INSERT ELBOW $\Phi 8$, R1/8	1
7	FSK 02	PLASTIC PARTICLE SILENCER	1
8	GB3452. 1-12. 8×2. 65-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	1



ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-LS-1310001	LOWER COVER OF QUICK DEFLATE VALVE	1
2	CT-LS-1310002	COVER OF QUICK DEFLATE VALVE	1
3	CT-LS-1310003	PISTON	1
4	CT-LS-1310004	RUBBER WASHER	1
5	CT-K-1100007	FITTING	1
6	FPL 8-01	INSERT ELBOW $\Phi 8$, R1/8	1
7	FSK 02	PLASTIC PARTICLE SILENCER	1
8	GB3452. 1-12. 8 $\times$ 2. 65-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	C-5B-1400001	FIXED AXIS	1
2	C-5B-1400002	REGULATE	1
3	GB119. 1-8×35	CYLINDRICAL PIN	1
4	GB70. 1-M6×12	INNER HEXA CYLINDRICAL SCREW	1
5	GB80-M6×5	INNER HEXA RECESSED TERMINUS SET SCREW	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-Y-6B10000	TURNTABLE	1
2	CT-Y-6120000	CYLINDER BRACKET	2
3	CT-Y-5030000	SQUARE TURNTABLE	1
4	CT-Y-5020000	CONNECTION PLATE	4
5	CT-Y-5010000	CYLINDER ASSEMBLY	2
6	CT-Y-6100003	PRESS PLATE	2
7	CT-Y-6100004	WEAR-RESISTANCE SPACER	4
8	CT-Y-0100002	CLAMP	4
9	CT-Y-0100003	SPACER	4
10	CT-Y-0320000	SLIDE COVER	4
11	GB95-12	FLAT WASHER	12
12	GB93-12	STANDARD SPRING WASHER	8
13	GB5783-M12×30	HEXANGULAR BOLT	4
14	GB5782-M12×85	HEXANGULAR BOLT	4
15	GB894. 2-85	SHAFT ELATIC RETAINING RING B-TYPE	1
16	GB894. 1-12	SHAFT ELATIC BIG RETAINING RING A-TYPE	4
17	GB879. 1-4×16	ELASTIC CYLINDRICAL PIN, HEAVY	8
18	CT-Y-6B00001	PROTECTIVE COVER	4
19	GB70. 3-M6×16	INNER COUNTER SUNK SCREW	12
20	CT-Y-0100008	HINGE ELBOW Φ8 G1/8	2
21	CT-Y-0100006	HINGE ELBOW Φ8 G1/8	2


CT-Y-5010000




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-Y-4120004	CYLINDER FRONT COVER	1
2	CT-Y-5010001	CYLINDER 80MM	1
3	CT-Y-5010002	SHAFT-CLYDR	1
4	CT-Y-4120005	CAP-BASE, CYLNDR	1
5	CT-Y-5010003	BOLT	4
6	GB893. 1-30	ELASTIC RETAINING RING A-TYPE	1
7	GB889. 1-M8	1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	4
8	GB95-12	FLAT WASHER	1
9	GB889. 1-M12	1- TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	1
10	GB12613-23×20×10	BEARING-SLIDE	1
11	CT-Y-4121000	CYCLINDER SEALING PARTS ASSEMBLY	1
11. 1	GB3452. 1-75×2. 65-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	2
11. 2	CT-Y-0160007	SEAL-ROD, CYLNDR	1
11. 3	GB3452. 1-20×2. 65-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	1
11. 4	CT-Y-4120006	PISTON	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-Q-2000001	FIXED BODY OF AIR GUIDE	1
2	CT-Q-2000002	ROTATING BODY OF AIR GUIDER	1
3	GB71-M3×6	SLOTTED CONIC HEAD SET SCREW	4
4	GB3452. 1-60×2. 65-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	3
5	GB3452. 1-90×2. 65-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	1
6	FPC 8-01	MALE STRAIGHT	4
7	FPC 12-03	MALE STRAIGHT	2
8	FPL 10-02	MALE ELBOW	2
9	FPC 10-02	MALE STRAIGHT	2




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-J-0000005	GEARBOX	1
2	CT-J-0000006	GEARBOX TOP	1
3	CT-J-0000004	WORM ROD	1
4	CT-J-0000007	BELT PULLEY (148MM, 60HZ)	1
5	CT-J-0000002	WORM SHAFT	1
6	GB276-6208	DEEP GROOVE BALL BEARINGS	1
7	GB1096-12×8×56	COMMON FLAT KEY	1
8	GB297-30205	BEARING	2
9	GB1099. 1-6×9×22	COMMON SEMI-CIRCULAR KEY	1
10	CT-J-0000003	WORM	1
11	GB894. 1-50	RETAINING RING A-TYPE	1
12	GB13871. 92-FB25-40	SEALED RING	1
13	CT-J-0100000	CAP	1
14	GB276-6010	DEEP GROOVE BALL BEARINGS	1
15	GB96. 1-8	LARGE WASHER A GRADE	1
16	GB93-8	STANDARD SPRING WASHER	1
17	GB5783-M8×25	HEXANGULAR BOLT	1
18	GB70. 1-M8×30	INNER HEXA CYLINDRICAL SCREW	8
19	GB41-M8	HEXANGULAR NUT	8
20	GB3452. 1-13. 2×2. 65-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	1
21	TC-10-1400013	BOLT	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-DJ-0011212	MOTOR (110V, 60Hz, 1P, 1.1Kw)	1
2	CT-DJ-0000001	MOTOR SUPPORT	1
3	CT-DJ-0000002	RUBBER WASHER	8
4	CT-DJ-0000003	MOTOR BELT PULLEY	1
5	GB5783-M10×50	HEXANGULAR BOLT	4
6	GB96. 1-10	LARGE WASHER A GRADE	4
7	GB95-10	FLAT WASHER	4
8	GB41-M10	HEXANGULAR NUT	4
9	GB78-M5×16	INNER HEXA CONIC TERMINUS SET SCREW	1
10	GB41-M5	HEXANGULAR NUT	1
11	GB1096-6×6×25	COMMON FLAT KEY	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-F-3000010	WATER CPU	1
2	CT-F-3000020	OIL CPU	1
3	CT-F-2000003	PRESSURE GAUGE	1
4	FPL 8-02	INSERT ELBOW $\Phi 8$, R1/4	1
5	GB70. 1-M4 $\times$ 8	INNER HEXA CYLINDRICAL SCREW	4
6	PEH 02-02	FAMALE UNION TEE	1
7	FPLF8-02	INSERT ELBOW $\phi 8$, R1/4	1
8	CT-F-2000009	AIR REGULATOR BRACKET	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-K-1A10000	PEDAL BRACKET	1
2	CT-D-9100001	PEDAL	1
3	CT-K-1100006	SHAFT	1
4	GB894. 1-14	SHAFT ELATIC BIG RETAINING RING A-TYPE	2
5	CT-D-1110001	VALVE BODY	1
6	CT-K-1100009	O-RING	6
7	CT-D-1110004	SPACER	5
8	CT-D-1110005	VALVE CAP	1
9	CT-K-1A00002	VALVE STEM	1
10	GB845-ST2. 9×13 H C	CROSS PANHEAD TAPPING SCREW	3
11	GB95-10	FLAT WASHER	1
12	CT-D-5100005	CONNECTION PART	1
13	GB5783-M8×40	HEXANGULAR BOLT	1
14	GB889. 1-M8	1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	1
15	GB882-4×22	PIN SHAFT	1
16	GB91-1. 6×10	SLOTTED PIN	1
17	CT-K-1100002	MOVABLE PLATE	1
18	CT-K-1100003	SPRING	1
19	GB70. 1-M5×45	INNER HEXA CYLINDRICAL SCREW	2
20	GB41-M5	HEXANGULAR NUT	2
21	GB879. 1-4×20	ELASTIC CYLINDRICAL PIN, HEAVY	1
22	GB9074-M6×20	COMBINATION SCREW	3
23	FPC 8-01	MALE STRAIGHT	2
24	JB / ZQ4447-1997-G1 / 8×10	SCREWS PLUG G1/8×10	2
25	CT-K-1100007	FITTING	1
26	AR20-01	PRESSURE ADJUST VALVE	1
27	FPC 8-02	MALE STRAIGHT	1
28	CT-K-1A00001	SPRING	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-K-3100001	PRESSURE GAUGE COVER	1
2	CT-K-3110000	EXHAUST VALVE ASSEMBLY	1
3	CT-K-3120000	AIR DISTRIBUTING VALVE	1
4	CT-K-3100003	INFLATING HOSE	1
5	CT-K-3100004	PRESSURE GAUGE	1
6	CT-K-3100005	COVER	1
7	CT-K-3100006	AIR VALVE	1
8	C-54-1000025	LOCKNUT	1
9	C-54-1000027	JOINT SEALING GASKET	1
10	GB70. 1-M4×12	INNER HEXA CYLINDRICAL SCREW	3
11	GB6170-M4	HEXANGULAR NUT 1-TYPE	3
12	FPC 8-02	MALE STRAIGHT	1
13	FPC 8-01	MALE STRAIGHT	1
14	FPLF 8-02	FEMALE ELBOW	1



ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-K-22000004	CONTROL COVER	1
2	CT-K-22000005	EXHAUST COVER	1
3	CT-K-22000006	CONNECTING PIN	1
4	CT-K-2210000	PANEL	1
5	CT-K-22000003	WASHER	1
6	GB70. 1-M6×45	INNER HEXA CYLINDRICAL SCREW	4
7	GB41-M6	HEXANGULAR NUT	4
8	FPC 8-02	MALE STRAIGHT	2
9	FPC 12-03	MALE STRAIGHT	2



ITEM	PART. No	DESCRIPTION.	QT. Y
1	C-54-1000014H	VALVE CONNECTOR WELDING	1
2	FPL 12-03	INSERT ELBOW $\Phi 12$, R3/8	2
3	GB3452. 1-21. 2 $\times$ 2. 65-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	2



ITEM	PART. No	DESCRIPTION.	QT. Y
1	C-54-8000002	ACCESSORY BOX	1
2	C-54-8000003	20INCH CROWBAR	1
3	C-54-8100000	GREASE CONTAINER	1
4	C-54-8000005	CLAMP PROTECTION COVER	4
5	C-54-1300014	SHEATH	2
6	C-54-8000007	TOOL HEAF TAIL WASHER	1
7	C-54-8000004	BRACKET	1
8	C-90-1000013	COVER	1
9	C-54-8000014	LUBE BRUSH	1